

# Navajo Nation School Safety Guidelines

Department of Diné Education 1 Morgan Blvd Window Rock, AZ 86515 Administration: (928)871-7475

email: schoolreopening@nndode.org

# Table of Contents

- 01 Introduction
- 02 Preparation & Prevention Knowledge

### **Behaviors that Prevent Spread of Covid-19:**

- Stay home when appropriate
- Handwashing and Respiratory Etiquette
- Universal and Correct Use of Masks

# **Maintain Healthy Environments:**

- 03 Physical Distance
- Clean and Maintain Healthy Facilities
- O4 School Building Consideration

### **Maintain Healthy Operations**

- General Preparations and Safety Planning
- Personal Protective Equipment
   Determined by Safety Planning
- Accommodations, Modifications, and Assistance for Students with Disabilities

### Prepare for when someone has COVID-19:

- Identify those who become sick or those who have close contacts with someone who is sick
- O6 School COVID-19 testing
- O7 Appendix A- CDC considerations for Pre-Arrival Symptom Screening
- 08 Appendix B- CDC Decision Tree
- 09 **Appendix C**-Public Health Nursing Contact list


# INTRODUCTION

The content of this guide serves as the safety "must-haves" that all schools on the Navajo Nation must incorporate into their reopening safety plans related specifically to COVID-19.

As schools have guidance from other oversight groups (ex. Navajo Nation Occupational Safety and Health Administration, Navajo Nation SAFETY, Bureau of Indian Education, State Education Departments, State Environmental Health Agencies), these planning elements are not intended to replace nor supersede those requirements. Schools may choose to incorporate precautions that are stricter than what is outlined here.

When considering and prioritizing school COVID-19 safety actions, it is important to focus on the steps that most directly impact <u>COVID-19 spread</u>. The Center for Disease Control (CDC) states, "The virus that causes COVID-19 is mostly spread during close contact by respiratory droplets released when people talk, sing, breathe, cough, or sneeze. The virus that causes COVID-19 can sometimes be spread through the air by airborne transmission or through touching contaminated surfaces or objects. Therefore, personal prevention practices (such as handwashing, staying home when sick) and environmental cleaning and disinfection are important principles that are discussed below. Fortunately, there are a number of actions school administrators can take to help lower the risk of COVID-19 exposure and spread during school sessions and activities" (<u>CDC web link</u>).

Below is an illustration of the three documents that are designed as the framework for reopening schools in a safe manner. This document specifically will cover the school safety guidelines.




# Preparation & Prevention Knowledge

- Identify and communicate with local and regional public health experts in medicine, population health, Safety, and Navajo Nation Occupational Safety and Health Administration (NNOSHA).
- Develop resource lists of these professionals who provide training and support and can answer common questions about COVID-19 prevention practices.
- Plan to train staff on all safety protocols, including infection prevention and control (IPC) practices, psychological first aid, chemical and environmental health, etc.
- Encourage staff to attend training opportunities such as Navajo Health Command Operations Center (NHCOC) IPC training, Environmental Protection Agency (EPA) school related training, CDC training, and others.

# Behaviors that Prevent Spread of Covid-19: Stay Home When Appropriate

Instruct staff, students, and their families to stay home if they have COVID-19 symptoms, are awaiting test results due to symptoms or exposure, or have been exposed to someone who has tested positive or is exhibiting symptoms.



- Quarantine after exposure and isolation during illness are essential parts of preventing COVID-19 spread. (CDC Recommendations for when sick or exposed).
- Absences may become more frequent and should be anticipated.
- Consider the pros and cons of health screenings prior to arrival to school facilities or school transportation vehicles. (See Appendix A, <a href="CDC Considerations for Pre-Arrival Symptom Screening">CDC Considerations for Pre-Arrival Symptom Screening</a> to Prevent School COVID-19 Exposures)
- Plan "What to do if a Student Becomes Sick at School or Reports a New COVID-19 Diagnosis" (See Appendix B, CDC School COVID-19 Case / Positive Test Response Algorithm)

Behaviors that
Prevent Spread
of Covid-19:
Handwashing
and
Respiratory
Etiquette

>> Teach and reinforce <u>handwashing</u> with soap and water for at least 20 seconds:

- Ensure access to essential hygiene supplies including consistent running hot and cold water, soap, paper towels, tissues, hand towels.
- Ensure handwashing stations are accessible.
- Post <u>visible signs</u> as reminders and behavior change support.
- Increase monitoring to ensure adherence among students and staff.
- Provide <u>hand sanitizer</u> containing at least 60% alcohol if soap and water are not readily available



Teachers, staff, students, and visitors (ages 2 and above) who enter the school will consistently and correctly use face masks to prevent SARS-CoV-2 transmission through respiratory droplets.

- Masks are required in all classroom and non-classroom settings, including hallways, school offices, restrooms, gyms, auditoriums, etc.
- Masks are not PPE and do not need to be N-95s. Types of <u>masks</u> can include surgical masks, cloth masks, or DIY face coverings. "Double masking" is encouraged as long as comfort is acceptable.
  - Exceptions to masks include:
    - Persons who, because of a disability, cannot wear a mask or <u>wear a</u> <u>mask safely;</u>
    - Settings such as accommodating those who are deaf or hard of hearing.
    - At times when mask wearing is not feasible (e.g., eating and drinking). Steps are needed to promote physical distancing during these times.

Behaviors that
Prevent Spread
of Covid-19:
<u>Universal</u> and
<u>Correct Use of</u>
<u>Masks</u>

Clean masks should be worn each day (reusable cloth masks should be washed when dirty or at least daily). Throw away disposable masks after wearing once



Masks are the preferred and recommended simple barrier to prevent source control.

- If instructing students who need to visually see the mouth for speech/language:
  - Clear masks may be considered.
    - Ensure there are no breathing difficulties or over heating problems for the wearer.
    - Clear masks are not face shields; face shields are <u>not recommended</u>
- If clear masks are not feasible, establish appropriate ventilation, more than 6 feet of physical distance, and plexi-glass or other clear dividers that are able to be cleaned and sanitized. The frame should not be made of wood as wood is porous, will expand when wet, and is hard to disinfect. If wood is used, it will need to be painted by impermeable paint to be wiped down. (For DIY plexiglass dividers, all construction plans should be reviewed and approved by individual(s) identified by school administration who can identify the hazards.

# Maintain Healthy Environments: Physical Distancing



Take steps to ensure that people who do not live together <u>remain 6 feet away from others</u>

- All staff should consistently communicate, explain, model, and reinforce appropriate physical distancing practices in ways that are developmentally appropriate for students, teachers, staff, and parents.
- Consider <a href="CDC recommended seating patterns">CDC recommended seating patterns</a>.



Outfit buildings with highly visual and visible physical distancing demarcations:

• Markers and physical guides on floors/walls to communicate where students and staff should stand or stay in order for all parties to stay 6 feet apart.



Use physical barriers, approved by individual(s) identified by school administration who can identify the hazards, in lieu of distance if unable to accommodate 6 feet of distancing.



Whenever 6 feet of physical distance is not realistic, strongly reinforce correct mask wearing.

 $\rightarrow$ 

Ensure cleaning and disinfectant supply inventories are:

- Readily available and safely stored (locked and/or out of reach) according to the Safety Data Sheets (SDS) that are provided by the vendors.
- Used to follow schedules of increased routine cleaning and disinfection of frequently touched surfaces <u>per CDC</u> and <u>EPA</u>.



Ensure chemical hazards safety per NNOSHA, NN Safety, and related protocols.

- Young children should not touch or be in contact with disinfectant or other chemicals.
- Follow recommended label for use.
- Ensure adequate ventilation and avoid exposures for individuals who may be sensitive or have asthma.

Maintain
Healthy
Environments:
Clean and
Maintain
Healthy
Facilities.

Determine what needs to be cleaned, and how areas will be disinfected.

- Cleaning with soap and water reduces the number of germs, dirt, and impurities on the surface.
- Disinfecting kills any remaining germs on surfaces, which further reduces any risk of spreading infection.
  - O High touch surfaces include: Tables, doorknobs, light switches, countertops, handles, desks, phones, keyboards, toilets, faucets, sinks.
  - O Surfaces and objects in public or shared areas should be cleaned and disinfected before each use or as much as possible.
  - O Post visible cleaning check sheets in restrooms, kitchens, classrooms, and high traffic areas.



Minimize shared objects:

- Discourage sharing objects that are difficult to clean or disinfect. For example, sharing of soft toys, stuffed animals, crayons and art supplies, sponges, clay, etc.
- Ensure adequate supplies (e.g., assign each student art supplies or equipment).
- Avoid sharing electronic devices if possible.

# Maintain Healthy Environments: School Building Considerations

Assess ventilation within all rooms and areas and review current air quality.

- Consult Safety and HVAC professionals regarding each school's ventilation status. The <u>ASHRAE guidance for schools</u> resource offers improvement strategies such as:
  - O Increase ventilation and update ventilation systems to ensure acceptable indoor air quality for the current occupancy level for each space.
  - O Install or update filtration systems with adequate particle specifications (e.g., MERV 13 or HEPA).
  - O Ensure there is routine maintenance of HVAC.

 $\searrow$ 

Increase outdoor air ventilation when possible:

- Open windows and doors (assess safety to children first).
- Use child-safe fans to increase effectiveness of open windows.
- Decrease occupancy in areas where outdoor ventilation cannot be increased.
- Increase use of outdoor spaces when safe and possible (audience should be upwind of speaker).

 $\searrow$ 

Implement protections for staff and students at <u>higher risk of severe illness</u>.

- School safety plans should be revised to reflect Covid-19 hazards.
- Offer options for students at higher risk that limit their exposure (e.g. virtual learning, smaller student cohorts, or other).

 $\searrow$ 

Follow Navajo Nation Department of Health, Health Command Operations Center and NN Government policies related to group gatherings to determine if events can be held

- Assess group gathering size limits.
- Determine allowable types of activities (e.g. is singing or cheering permitted?)

Create plans for gatherings, visitors, and field trips:

- Limit nonessential activities and visitors;
- Limit cross-school transfer for special programs;
- Consider staff who travel between schools.

Create transportation plans that follow physical distancing and ventilation practices.



Promote flexible staff leave policies (e.g., allowing leave to care for a sick family member):

- Staff may telecommute where feasible, especially those with increased risk for <u>severe illness</u>.
- Implement flexible work schedules
  - Reduce the number of staff at the school building and on campus at any given time based on student schedules



Conduct virtual staff meetings as much as possible.

Maintain Healthy
Operations:
Personal
Protective
Equipment
Determined by
Safety Planning

Maintain Healthy

Operations:

General

Preparations and

Safety Planning

Identify elevated COVID-19 exposure hazards (<u>Safety Assessment Plan</u>) for all staff and determine any need for Personal Protective Equipment (PPE).

- Develop context specific school safety Plans.
- PPE may include N-95 respirators, gloves, gowns, and eye protection.
- PPE should be used by those caring for or transporting staff or students who may have active COVID-19 illness.



In general, PPE as defined above is not a requirement for safe classroom or school activities.

Maintain Healthy
Operations:
Accommodations,
Modifications,
and Assistance for
Students with
Disabilities



Collaborate with parents and/or guardians of students with disabilities or special health needs to ensure appropriate implementation of any accommodations and modifications that are needed for students to access the general or modified curriculum, as stated in their Individual Education Programs (IEPs).

Prepare for when someone has COVID-19:
Identify those who become sick or those who have close contacts with someone who is sick.

>> Implement sign in logs for all individuals who enter the building.

- Information should include, at minimum: name, phone number, and time in and out.
- Advise students, teachers, staff, and families of home isolation and quarantine criteria.
  - Isolate and transport students who develop symptoms while at school.
    - o Follow CDC's school isolation protocol
    - o Develop Safety Plans for interventions that include:
      - Closing off areas exposed until after <u>cleaning and disinfection</u> (see above link).
      - Clean after waiting 24 hours or as long as possible, following all safety practices
- Schools must report all COVID-19 cases and close contact to local health officials and to the <u>HCOC COVID-19 Reporting Portal</u>. For questions about reporting cases, schools may call the Health Command Operations Center at (928) 871-7014.
- Inform those who have had <u>close contact</u> (see checklist available with definition) to stay home and self-monitor for symptoms, get tested, and follow CDC guidance if symptoms develop.

Prepare for when someone has COVID-19
COVID-19
Testing

- Provide clear guidance and support for any staff or students with symptoms of COVID-19.
- All newly symptomatic individuals need immediate COVID-19 testing and to follow isolation protocols above (this is called "diagnostic testing"). All close contacts of COVID-19 cases also need diagnostic COVID-19 testing and to follow quarantine protocols.
- Diagnostic testing may be done:
  - At the school-by-school personnel using a CLIA waived test (e.g., rapid antigen test) if a CLIA Certificate of Waiver is in place
  - At the school by a rapid response team deployed from the local health center/clinic
  - On a referral basis at local health centers/clinics
- Screening testing is testing that is done to detect infection even when there is no reason to suspect infection (e.g., there are no symptoms and no exposures). Screening testing can help prevent silent spread of SARS-CoV-2 from asymptomatic people.
  - Schools may consider screening testing of faculty, staff and/or students on a weekly or twice weekly basis, using school-based or home-based approaches to testing.
  - Considerations for screening testing include:
- Feasibility, including cost, personnel, physical space, ability to obtain informed consent, ability to maintain confidentiality, and ability to follow up all test results with recommended actions
- Contextual elements such as geographic mobility of student population, presence, or absence of residential or dorm facilities, and background community COVID-19 transmission patterns. Schools with these factors are encouraged to consult directly with HCOC POCs to develop and implement school testing plans

# Appendix A

<u>CDC Considerations for Pre-Arrival Symptom Screening</u> to Prevent School COVID-19 Exposures

- Students should not attend school when they are sick.
- Schools can minimize some of the limitations and challenges of symptom screening and help reduce the spread of the virus that causes COVID-19 by:
  - Encouraging families to check their students' health and keep students at home when they are sick.
  - Emphasizing home symptom screening or being aware of symptoms that suggest infectious illness generally rather than comprehensive screening for all known symptoms of COVID-19.
  - Basing decisions for safe return to school on the likelihood that the student's symptoms are from COVID-19
- If schools choose to adopt routine symptom screening, the following template for home-based screening is available: <u>Template for Home-Based Screening</u>

Caregivers: If your child has any of the following symptoms, they might have an illness they can spread to others.

- Check your child for these symptoms before they go to school.
- Check a symptom only if it has changed from usual or baseline health.
  - Check your child for these symptoms before they go to school.
  - Check a symptom only if it has changed from usual or baseline health.
  - <u>Temperature</u> 100.4 degrees Fahrenheit or higher
  - Sore throat
  - Cough (for students with chronic cough due to allergies or asthma, a change in their cough from baseline)
  - Difficulty breathing (for students with asthma, a change from their baseline breathing)
  - Diarrhea or vomiting New onset of severe headache, especially with a fever

### If your child *HAS any* of the symptoms above:

- Keep them home from school.
- Consider whether your child needs to see a healthcare provider and possible COVID-19 testing. CDC has a <u>Coronavirus Self Checker</u>\* available in its website, which may help you make decisions about seeking medical care for possible COVID-19.
- Contact your child's school and report that your child is sick. The school may ask some additional questions to help determine when it is safe for your child to return to school.

# If your child *does NOT have any* of the symptoms above:

• Send them to school as usual.

\*Coronavirus Self Checker: <a href="https://www.cdc.gov/coronavirus/2019-ncov/symptoms-testing/coronavirus-self-checker.html">https://www.cdc.gov/coronavirus/2019-ncov/symptoms-testing/coronavirus-self-checker.html</a>

The CDC's Coronavirus Self Checker is a tool that could also be used to assess children who have arrived at school and who may be sick with COVID-19.

# Appendix B

# REPORTS A NEW COVID-19 DIAGNOSIS AT SCHOOL\* WHAT TO DO IF A STUDENT BECOMES SICK OR

of infectious shows signs Student(s) consistent illness

student(s) from area within the cohort/pod or school. Alert the COVID-19 staff excuses classroom, <u>P</u>

COVID-19.\*\*

properly supervised. The parent, guardian, or caregiver is called. Arrangements are made COVID-19 POC takes student(s) to isolation for student(s) to either go home or seek room/area and ensures student(s) is emergency medical attention.

mask use and stay at least 6 feet apart while Note: If multiple ill students must be placed in the same isolation room/area, ensure supervised.

Clean and disinfect areas that settle (at least several hours), cleaning to let virus particles and use personal protective the ill student(s) occupied. products) to reduce risk of Ventilate the area(s), wait protection needed for the as long as possible before equipment (including any cleaning and disinfection infection.

provider for evaluation

guardian, or caregiver

student(s). Parent,

contacts healthcare

Parent, guardian, or

caregiver picks up

and possible COVID-19

return to school management school illness following policies. existing negative COVID-19 Student test

Student(s)

result.\*\*\*

Student **positive** COVID-19 test result.

a list of close contacts or caregivers of close COVIID-19 POC starts contacts of possible parents, guardians, of the ill student(s) and informs staff, exposure.\*\*\*

found to have

Student(s)

COVID-19 and

begins home

isolation.

follow up with staff, parents, with the ill student(s). \*\*\*\*\* student(s) that had contact guardians, or caregivers of COVID-19 POC works with assess spread and support local health officials to

their

Parents, guardians, or caregivers of children home (quarantine for student(s)' healthcare provider for close contacts are advised to keep evaluation and possible COVID-19 14 days) and to consult with the

test.

student(s)' household dose contact with the are described here[1], student are advised shorten quarantine this increases risk of 14 days. Options to and staff who had Members of the ill to quarantine for but keep in mind

school and end isolation once the The ill student(s) can return to following are met:

- 10 days out from the start of the symptoms, AND
- without fever reducing Fever free for 24 hours medication, AND
- Symptoms have improved.



spread. is responsible for responding to COVID-19 Note: COVID-19 POC = the designated point of contact (a staff person that concerns, such as director)

- Scenario based on geographic area with community transmission of SARS-COV-2 the virus that causes COVID-19. https://www.cdc.gov/coronavirus/2019-ncov/more/scientific-brief-options-to-reduce-quarantine.html
- nose, new loss of taste or smell, shortness of breath or difficulty breathing, diarrhea or vomiting, stomachache, tiredness, The most common symptoms of COVID-19 in children include fever or chills, cough, nasal congestion or runny
- headache, muscle or body aches, and poor appetite or poor feeding (especially in babies under 1 year old). With no known close contact.
- of 15 minutes or more within 2 days prior to illness onset, \*\*\*\* Close contact is defined as someone who was within 6 feet for a total regardless of whether the contact was wearing a mask
- \*\*\*\*\* To the extent allowable by applicable laws regarding privacy.

# cdc.gov/coronavirus

# **Appendix C**

### DIRECTORS/SCN OF PUBLIC HEALTH NURSING FOR NAVAJO AREA

Service Unit/Tribal Health	Office Phone and Referral FAX	Main Contacts
Organization		
Chinle Service Unit	P.O. Drawer PH Chinle, AZ 86503 PHN	Alex Daniels alex.daniels@ihs.gov
Includes: • Chinle Comprehensive Health	Office: 928/ 674-7179/7181	Molly Dayzie molly.dayzie@ihs.gov
Care Facility (Chinle Hospital) • Pinon	Referral FAX: 928/ 674-7577	Stacey Loner Stacey.loner@ihs.gov
Health Center • Tsaile Health Center • Rock	PHN Call Center 928-674-7577	
Point Health Station	D.O. Day 250 Consumer int. NIA 07244	Total Dadabiat American debiat Oileann
Crownpoint Health Care Facility	P.O. Box 358 Crownpoint, NM 87314	Trudy Redshirt trudy.redshirt@ihs.gov
	PHN Office: 505/ 786-6420/6422	
Gallup Indian Medical Center	Referral FAX: 505/ 786-5303 P.O. Box 1337 Gallup, NM 87305 PHN	Robe Cretor robe groten Gibs gov
Ganup mulan Medical Center	Office: 505-722-1746/1749 Referral	Reba Groten reba.groten@ihs.gov
	FAX: 505/ 722-1745/1749 Referral	
Northern Neuric Medical Contoured	P.O. Box 160, Shiprock, NM 87420	Janu King jaann king@ibs gay
Northern Navajo Medical Center and Dzilth-Na-O-Dith-Hle Health Center	PHN Office: 505/368-7417	Joann King joann.king@ihs.gov
Dziitii-Na-O-Ditii-nie neaitii Centei	Referral FAX: 505/ 368-7416	
Four Corners Regional Health Center	HCR 6100, Box 30 Teec Nos Pos, AZ	Neva Kayaani neva.kayaani@ihs.gov
Tour Corners Negronal Fleattif Ceriter	86516	iveva Kayaaiii ileva.kayaaiii@iiis.gov
	PHN Office: 928-656-5300/5302	
	Referral FAX: 928/ 656-5292	
Tsehootsooi Medical Center	P.O. Box 649 Ft. Defiance, AZ 86504	Siona Willie siona.willlie@fdihb.org
Tacino assor in cultur center	PHN Office: 928-729-8470/8490	Siona wille siona.willie@rains.org
	FAX: 928/ 729-8499	
Kayenta Service Unit	P.O. Box 368 Kayenta, AZ 86033	Ruth White ruth.white@ihs.gov
,	PHN Office:928-697-4033/4037	Philana Brown philana.brown@ihs.gov
	FAX: 928/697-4394 (temporary)	
Tuba City Regional Health Care Center	P.O. Box 600, 167 N. Main Tuba City, AZ	Marlana Wilson Direct Office Line: 928-
	86045	283-3522 Cell Hotline: 928-606-4647
	Front Desk: 928-283-2783 FAX: 928/	Marlana.Wilson@TCHEALTH.org Annie
	283-2106	Edleman Cell: 928-890-4532
		anathea.edleman@tchealth.org
Winslow Indian Health Center	500 N. Indiana Avenue Winslow, AZ	Denise Blackrock Office: 928/ 289-6198
	86047 PHN Office: 928/ 289-6197/6198	denise.blackrock@wihcc.org
	FAX: 928/ 289-6126	
Sage Memorial Hospital	P.O. Box 457 Ganado, AZ 86505	Sharon Edison Office: 928/755-4842
	Main Line: 928-755-4500	sharon.edison@sagememorial.com
	FAX: 520/ 755-4659	Charlotte Rieck: -4915
		Laverne Peshlakai: -4870
Utah Navajo Health System	1478 East, UT-162, Montezuma Creek,	Shawn Begay Office: 435-678-0251
= u uu (2 : .	UT 84534	sbegay@unhsinc.org
To'hajiilee (Canoncito)	129 Medicine Horse Dr, To'hajiilee, NM	Marla Jim Office: 505-908-
	87026	2307(ext.138)
	Main Line: 505-908-2307 (press 4) FAX:	marla.jim@ihs.gov
Dine Hill Health Courter	505/908-2306	Parel Alarma Office, FOE 775 2274
Pine Hill Health Center	PO Box 310 Pine Hill, NM 87357	Pearl Alonzo Office: 505-775-3271
	Main Line: 505-775-3271	(ext.218) Pearl.alonzo@ihs.gov
	FAX: 505-775-3633	